

CAPITAL 300 MC



DESCRIPTION

With an elegant, stylish shape and a sleek profile, which allow a seamless integration in every architectural environment, CAPITAL 300 MC is the ideal solution for the dramatic illumination of large-scale façades and high-rise buildings calling for high impact floodlighting. Responding to the lighting designer's need for aesthetic appeal and chromatic adaptability, CAPITAL 300 MC features multichip LEDs, which enhance seamless light distribution and smooth colour transitioning.

MAIN FEATURES

- Max. delivered lm output: 19556 lm / 74 lm/W
- Size: (HxWxD) 383x492x105 mm / 15x19.4x4.1"
- Control system: DMX-RDM, DALI DT8, DALI, remote wireless data
- Powerful floodlight fitted with multichip LEDs


LED COLOUR CONFIGURATIONS





FAÇADE LIGHTING - SQUARE

CAPITAL 300 MC



FEATURES





















14.7 KG



OPTIONS







REMOTE WIRELESS DATA WIRELESS DATA







CLASS II ANTI-SALINE

ETL LISTED

LED COLOUR CONFIGURATIONS









FINISHES



RAL9005











REQUEST

RAL7016

RAL9003

MORE INFO





CODES

AL5016 CAPITAL 300 MC AL5017 CAPITAL 300 MC POLAR EDITION

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
CAPITAL 300 MC RGBW	266	11502	43
CAPITAL 300 MC DW	266	19556	74

BEAM ANGLE REFERENCE	RGBW	DW	
SPOT	7°	7°	
NARROW	10°	10°	
MEDIUM	23°	23°	
WIDE	35°	35°	

