



СИИ ТРИУМФАЛЬНЫЕ ВОРОТА
ЗЛОЖЕНЫ В ЦЕЛЬ ВОСПОМИНИТЬ
ТОРЖЕСТВА РОССИЙСКИХ ВОИНОВ В 1814 ГОДУ
И ВОЗРОЖДЕНИЕ ГОРОДА
ВЕЛИКОЛЕДНЫХ ПАМЯТНИКОВ И ДЛАНИИ
ПЕРВОПРЕСТОЛЬНОГО ГРАДА МОСКВЫ
РАЗРУШЕННОГО В 1912 ГОДУ НАВЕЩЕНЫМ ТАВРОМ
И С НИМИ ДВУНАДЕСЯТИ ЗАМКОВ

CAPITAL 600 MC

CAPITAL 600 MC



DESCRIPTION

Responding to the lighting designer's need for aesthetic appeal and chromatic adaptability, CAPITAL 600 MC features multichip LEDs, which enhance seamless light distribution and smooth colour transitioning. Featuring full independent control of each LED bank, this double cluster luminaire provides absolute freedom to create impressive matching or divergent dynamic effects on large-scale façades and high-rise buildings with a surprising luminous output.


MAIN FEATURES

- Max. delivered lm output: 39112 lm / 74 lm/W
- Size: (HxWxD) 756x517x150 mm / 29.7x20.4x5.9"
- Control system: DMX-RDM, DALI DT8, DALI, remote wireless data
- Double cluster floodlight with full independent control of each LED bank fitted with multichip LEDs


LED COLOUR CONFIGURATIONS




CAPITAL 600 MC



FEATURES




OPTIONS




LED COLOUR CONFIGURATIONS



FINISHES



MORE INFO



CODES

AL5021 CAPITAL 600 MC
AL5023 CAPITAL 600 MC POLAR EDITION

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
CAPITAL 600 MC RGBW	532	23004	43
CAPITAL 600 MC DW	532	39112	74

BEAM ANGLE REFERENCE	RGBW	DW
SPOT	7°	7°
NARROW	10°	10°
MEDIUM	23°	23°
WIDE	35°	35°



Russia – Triumphal Arch, Moscow