



CAPITAL 600



DESCRIPTION

Combining a minimal, neat design with brilliant performance capabilities, the CAPITAL 600 floodlight series is available with a vast choice of combinable optics, LED colour configurations, and finish options for maximum lighting design flexibility. Featuring full independent control of each LED bank, this double cluster luminaire allows absolute freedom to create impressive matching or divergent dynamic wall wash effects on large-scale façades, high-rise buildings, and remote spots with a surprising luminous output. Alternative ON-OFF white light versions available.


MAIN FEATURES

- Max. delivered lm output: 55860 lm / 98 lm/W
- Size: (HxWxD) 756x517x150 mm / 29.7x20.4x5.9"
- Control system: DMX-RDM, DALI DT8, DALI, ON-OFF, 0-10V, on-board or remote wireless data
- Double cluster floodlight with full independent control of each LED bank


LED COLOUR CONFIGURATIONS



CAPITAL 600




FEATURES




LED COLOUR CONFIGURATIONS



OPTIONS



FINISHES



MORE INFO



CODES

AL5020 CAPITAL 600
AL5022 CAPITAL 600 POLAR EDITION
AL5032 CAPITAL 600 B

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
CAPITAL 600 RGBW	512	32402	63
CAPITAL 600 DW	570	55860	98
CAPITAL 600 W	570	55628	98
CAPITAL 600 B	440	42941	98

BEAM ANGLE REFERENCE	RGBW	DW/W
SPOT	8°	12°
NARROW	12°	15°
MEDIUM	23°	25°
WIDE	44°	48°
EXTRA WIDE	59°	66°
ELLIPTICAL	9° x 42°	14° x 39°
ELLIPTICAL WIDE	19° x 39°	22° x 37°
WALL WASH	14° (5° incline) x 37°	19° (5° incline) x 37°



Russia – Crowne Plaza Hotel, Moscow