




KRAIT MB

KRAIT MB



DESCRIPTION

KRAIT MB is a flexible, direct view LED strip which can be controlled via DMX 512 protocol. Twisting from side to top bend, this multi-bending lighting solution can be seamlessly fitted to any curved or irregular surface to deliver vibrant coloured or white light effects. Its outdoor-rated silicon body gracefully enhances contoured architectures, coves, and unconventional structures with an even radiance. Featuring a maximum run of 5m, it comes in custom built lengths as a practical plug&play configuration to suit the most specific project requirements.

MAIN FEATURES

- Max. delivered lm output: 821 lm/m / 58 lm/W/m
- Size: (WxD) 23x23 mm / 16x16 mm with selectable length up to 5000 mm
- Control system: DMX
- Flexible, direct view, multi-bending LED strips


LED COLOUR CONFIGURATIONS




ACCENT LIGHTING

KRAIT MB


KRAIT MB 2323 RGBW




FRONT FEED



BOTTOM FEED



RIGHT-SIDE FEED



LEFT-SIDE FEED

KRAIT MB 1616 RGBW SIZE FILES AVAILABLE ON OUR WEBSITE

FEATURES



DMX



CLASS



IP67




IK07



0.57 KG/m
0.24 KG/m



CABLE EXIT OPTIONS



FRONT FEED



BOTTOM FEED



RIGHT-SIDE FEED



LEFT-SIDE FEED

LED COLOUR CONFIGURATIONS



RGB+W
3000K



RGB+W
4000K



DW
3000/6500K



WARM
WHITE 2700K



WARM
WHITE 3000K



NATURAL
WHITE 4000K

FINISHES



WHITE

CODES

AL8467 KRAIT MB 2323 RGBW
AL8468 KRAIT MB 1616 DW /W


PERFORMANCE

	WATT/m	MAX LM OUTPUT/ m	LM/WATT/m
KRAIT MB 2323 RGBW	14	280	20
KRAIT MB 1616 DW	14	608	45
KRAIT MB 1616 W	14	821	58

BEAM ANGLE REFERENCE

OPALINE DIFFUSER 120°

MORE INFO ON OUR WEBSITE



ACCENT LIGHTING