




KRAIT TB



DESCRIPTION

KRAIT TB 2020 is a flexible, direct-view LED strip that can be controlled via the DMX 512 protocol or any PWM controller. This top-bending lighting solution seamlessly fits onto any curved surface to deliver eye-catching effects in both vibrant colours and soft white light. Its outdoor silicone body elegantly enhances architectural elements, coves, and façades with even radiance. With a maximum run of 5 meters, it is available in custom lengths as a convenient plug-and-play configuration to meet specific project requirements.

MAIN FEATURES

- Max. delivered lm output: 824 lm/m /59 lm/W/m
- Size: (WxD) 20x20 mm with selectable length up to 5000 mm
- Control system: DMX, PWM
- Flexible, direct view, top-bending LED strips


LED COLOUR CONFIGURATIONS



ACCENT LIGHTING


KRAIT TB

KRAIT TB 2020



FRONT FEED

BOTTOM FEED



RIGHT-SIDE FEED

LEFT-SIDE FEED

FEATURES



DMX



ON - OFF



CLASS



IP67



IK07



0.42 KG/m



CABLE EXIT OPTIONS



FRONT FEED

BOTTOM FEED



RIGHT-SIDE FEED

LEFT-SIDE FEED

LED COLOUR CONFIGURATIONS



RGB+W
3000K



RGB+W
4000K



DW
3000/6500K



WARM
WHITE 2700K



WARM
WHITE 3000K



NATURAL
WHITE 4000K

FINISHES



WHITE

CODES

AL8490 KRAIT TB 2020

PERFORMANCE

	WATT/m	MAX LM OUTPUT/ m	LM/WATT/m
KRAIT TB 2020 RGBW	18	240	13
KRAIT TB 2020 DW	14	824	59
KRAIT TB 2020 W	14	788	58

BEAM ANGLE REFERENCE

OPALINE DIFFUSER 120°

MORE INFO ON OUR WEBSITE

